



SOME OF THE MANY LIQUIDS ABSORBED BY PEAT SORB

Butanol	Gasoline	Carbon Disulfide
Ethanol	Heptane	Cutting Oils
Ethyl Ether	Hexane	Silicone Oil (100cs)
Ethylene Glycol	Hexene (97%)	Tetrahydrofuran
Isobutanol	Motor Oils	Vegetable Oils
Isopropanol	Parafin Oil	Scintillation
Methanol	Pentane	Liquid Isocyanate
Propanol	Varsol	Oil based Paint & Ink
Benzene	Kerosene	Blood
Tolulene	Jet Fuel	Chemo
Xylene	Petroleum	And More
Phenol	Ether	
Cyclohexane	Bunker C	
Diesel Fuel	Acetonitrile	

Peat Sorb is used by all these industries, and more . .

Oil Refineries

Gas Stations

Heating Oil Supply Companies

Car Manufacturers

Factories

Transportation Companies

Machine Shops

Tool & Dye Makers

Golf Courses

Beach Cleanup Crews

Parking Lots

Parking Garages

Ports and Harbours

Marinas

Railroads

Paint Manufacturers

Transit Authorities

Fire Departments

Armed Services

Spill Contractors/Waste Haulers

Haz Mat Teams

SAFE AND CLEAN WORKING CONDITIONS

Peat Sorb's powerful wicking action prevents the spread of hazardous liquids. Peat Sorb is an effective product in the suppression of volatile organic compounds (VOC's).

Peat Sorb is non-abrasive and will not damage machinery.

Convenient, Easy to Use, Cost Effective.

One Litre of Peat Sorb will absorb approximately 1 Litre of oil.

Peat Sorb can be used as a sweeping compound to remove traces of oil on asphalt and concrete surfaces.

Save time. Save money.

Peat Sorb is available in Bags, Socks, Pillows and Spill Kits.